

MC310 PRO

PRODUCT
Image
Unavailable

PRODUCT
Image
Unavailable



Conductivity Monitor

Rating: Not Rated Yet

[Ask a question about this product](#)

Description

MC310 PRO

The MC Monitors are designed to continuously monitor pH, EC or TDS values directly in your reservoir. Each unit features a user selectable set-point. An LED visual alarm is activated and flashes when the pH, EC or TDS level rises either Above or Below (user selected) that set-point.

All these instruments run on a 12V adapter so there's no need to worry about failed batteries and each unit comes with mounting kit, probe, probe holder and starter calibration solution.

Professional EC - Conductivity Monitor

- User selectable Hi/Low Set Point
- Manual 1 point calibration
- Visual LED alarm
- Supplied with 12 VDC adapter and 20ml 5000 $\mu\text{S}/\text{cm}$ calibration solution
- MA812/2 EC Conductivity Probe with 2m cable

Accessories:

- **MA812/2** Conductivity probe with 2 m cable
- **M10031B** 1413 $\mu\text{S}/\text{cm}$ calibration solution, 20 ml sachet (25 pcs)

Ordering information:

MC310 is supplied with 12 VDC adapter and 20ml 5000 $\mu\text{S}/\text{cm}$ calibration solution.