

## MW170 MAX



Conductivity / TDS / NaCl / Temperature Laboratory Bench Meter

Rating: Not Rated Yet

[Ask a question about this product](#)

### Description

**MW170 MAX** Autoranging Conductivity / TDS / NaCl / Temperature Laboratory Bench Meter

**MW170 MAX** is a compact and versatile bench meter that can measure up to four different parameters: EC, TDS, salinity (in PSU, g/L, percentage NaCl) and temperature. The main operating modes are setup, calibration, measurement and logging.

- Easy to read LCD display
- Auto-off feature to prolong battery life
- All measurements can be temperature compensated automatically (ATC), or manually (MTC) with a user-selectable compensation coefficient.
- Temperature compensation can be disabled (NO TC) if the actual conductivity value is required.
- The auto-ranging feature for both EC and TDS measurements automatically sets the most suitable resolution for the tested sample.
- Available log space for up to 1000 records. Logged data can be exported using a USB cable.
- Dedicated GLP key to store and recall data on system status
- Built-in rechargeable battery with 8 hours battery life

**Accessories:**

- **MA814DB/1** 4-ring Conductivity/TDS/NaCl/Temperature probe with DIN connector and 1 meter cable
- **MA9060** 12880  $\mu\text{S}/\text{cm}$  calibration solution, 230 mL bottle
- **MA9061** 1413  $\mu\text{S}/\text{cm}$  calibration solution, 230 mL bottle
- **MA9063** 84  $\mu\text{S}/\text{cm}$  calibration solution, 230 mL bottle
- **MA9064** 80000  $\mu\text{S}/\text{cm}$  conductivity solution, 230 mL bottle
- **MA9065** 111.8  $\text{mS}/\text{cm}$  calibration solution, 230 mL bottle
- **MA9066** 100% NaCl calibration solution, 230 mL bottle
- **MA9069** 5000  $\mu\text{S}/\text{cm}$  solution, 230 mL bottle
- **MA9315** Electrode Holder

**Ordering information:**

MW170 is supplied complete with **MA814D/1** EC/Temperature probe; **MA9315** Electrode Holder; Micro USB cable; 12 VDC Adapter; Instruction Manual